



Monthly summary monitoring data

Licence Details: Ampol Refineries (NSW) Pty Ltd, 2 Solander St, Kurnell, NSW, 2231, EPL # 837

		Point 27, Yena Gap Effluent, Normal Operating Conditions												
		EPA Point	Temperature	pH	Volumetric Flowrate	Oil and Grease	Phenols	Sulfide (un-ionised hydrogen sulfide)	Nitrogen (ammonia)	Total Suspended Solids	Biochemical Oxygen Demand			
		Licence Limit (100%tile)	40	6.0 - 9.0	None		2.7	None	7.5	50	30			
		Licence Limit (90%tile)		6.5 - 8.5		10								
		Licence Limit (50%tile)					0.3			35	20			
		Unit of Measure	°C		kl/day	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l			
		Monitoring Frequency Required by Licence	Continuous	Continuous	Continuous	Once during any discharge	Once during any discharge	Once during any discharge	Once during any discharge	Once during any discharge	Once during any discharge			
Reporting Period	Month	Averaging Period	1 Hour Block	6 Minute Rolling	1 Day Block	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Date Last Data were Obtained	Reason for Missing Data	Publishing Date
2023 - 2024 May	2-May 31-May 2023	No. Samples Collected	720	43200	30	4	4	4	4	4	4	2-Jun-23	No Missing Data	19-Jun-23
		Lowest	16.5	6.8	0	<5	<0.05	<0.1	<0.01	2	<2			
		Highest	25.1	7.5	7290	<5	0.08	<0.1	0.03	7	<10			
		Exceedance (yes/no)	No	No	N/A	No	No	No	No	No	No			
2023 - 2024 Jun	1-Jun 30-Jun 2023	No. Samples Collected	720	43200	30	1	1	1	1	1	1	3-Jul-23	No Missing Data	14-Jul-23
		Lowest	16.2	6.5	0	<5	<0.05	<0.1	0.01	15	7			
		Highest	17.9	8.3	6342	<5	<0.05	<0.1	0.01	15	7			
		Exceedance (yes/no)	No	No	N/A	No	No	No	No	No	No			
2023 - 2024 Jul	1-Jul 31-Jul 2023	No. Samples Collected	744	44640	31	0	0	0	0	0	0	10-Aug-23	No Missing Data	15-Aug-23
		Lowest	15.8	6.9	0									
		Highest	16.9	7.8	6232									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Aug	1-Aug 31-Aug 2023	No. Samples Collected	744	44640	31							11-Sep-23	No Missing Data	15-Sep-23
		Lowest	16.0	6.7	0									
		Highest	17.4	8.2	6687									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Sep	1-Sep 30-Sep 2023	No. Samples Collected	720	43200	30			N/A	N/A	N/A	N/A	9-Oct-23	No Missing Data	13-Oct-23
		Lowest	17.5	6.8	0									
		Highest	20.7	7.2	6285									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Oct	1-Oct 31-Oct 2023	No. Samples Collected	744	44640	31			N/A	N/A	N/A	N/A	3-Nov-23	No Missing Data	14-Nov-23
		Lowest	20.8	6.9	0									
		Highest	22.7	7.8	6307									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Nov	1-Nov 30-Nov 2023	No. Samples Collected	720	43200	30			N/A	N/A	N/A	N/A	1-Dec-23	No Missing Data	15-Dec-23
		Lowest	20.8	6.5	0									
		Highest	24.0	7.9	5957									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Dec	1-Dec 31-Dec 2023	No. Samples Collected	744	44640	31							3-Jan-24	No Missing Data	12-Jan-24
		Lowest	23.7	6.6	0									
		Highest	26.9	8.5	5747									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Jan	1-Jan 31-Jan 2024	No. Samples Collected	744	44640	31							6-Feb-24	No Missing Data	15-Feb-24
		Lowest	24.9	6.7	0									
		Highest	27.2	8.5	5693									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Feb	1-Feb 29-Feb 2024	No. Samples Collected	696	41760	29							5-Mar-24	No Missing Data	15-Mar-24
		Lowest	24.6	6.4	0									
		Highest	27.3	8.5	5951									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Mar	1-Mar 31-Mar 2024	No. Samples Collected	744	44640	31							6-Apr-24	No Missing Data	16-Apr-24
		Lowest	25.0	6.5	0									
		Highest	26.6	8.5	5912									
		Exceedance (yes/no)	No	No	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Apr	1-Apr 1-May 2024	No. Samples Collected												
		Lowest												
		Highest												
		Exceedance (yes/no)												

Ampol Refineries (NSW) has prepared this information in good faith exercising all due care and attention, but no representation or warranty, express or implied is made as to the relevance, accuracy, completeness or fitness for purpose of this information in respect of any particular user's circumstances. Provision of this information does not constitute an opinion or interpretation by Ampol of the information and users of this information should satisfy themselves concerning its application, and where necessary seek expert advice in respect of, their situation. Under no circumstances will Ampol be liable for any loss or damage however caused, resulting from your use of or access to, or inability to use or access, this information.



Monthly summary monitoring data

Licence Details: Ampol Refineries (NSW) Pty Ltd, 2 Solander St, Kurnell, NSW, 2231, EPL # 837

		EPA Point	Point 27, Yena Gap Effluent, Wet Weather By-Pass Conditions						
		Pollutant	Oil and Grease (Wet)	Phenols (Wet)	Total Suspended Solids (Wet)	Biochemical oxygen demand (Wet)			
		Licence Limit (100%tile)	70	5	100	350			
		Licence Limit (90%tile)							
		Licence Limit (50%tile)							
		Unit of Measure	mg/l	mg/l	mg/l	mg/l			
		Monitoring Frequency Required by Licence	Daily only during any discharge under bypass conditions of the biotreater wastewater treatment plant						
Reporting Period	Month	Averaging Period	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Date Last Data were Obtained	Reason for Missing Data	Publishing Date
2023 - 2024 May	2-May 31-May 2023	No. Samples Collected	0	0	0	0	N/A	No Missing Data	19-Jun-23
		Lowest							
		Highest							
		Exceedance (yes/no)							
2023 - 2024 Jun	1-Jun 30-Jun 2023	No. Samples Collected	9	9	9	9	3-Jul-23	No Missing Data	14-Jul-23
		Lowest	<5	<0.05	9	8			
		Highest	<5	0.15	19	12			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Jul	1-Jul 31-Jul 2023	No. Samples Collected	15	15	15	15	10-Aug-23	No Missing Data	15-Aug-23
		Lowest	<5	0.09	6	9			
		Highest	5	0.35	18	35			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Aug	1-Aug 31-Aug 2023	No. Samples Collected	16	16	16	16	11-Sep-23	No Missing Data	15-Sep-23
		Lowest	<5	0.1	1	12			
		Highest	5	0.27	21	27			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Sep	1-Sep 30-Sep 2023	No. Samples Collected	9	9	9	9	9-Oct-23	No Missing Data	13-Oct-23
		Lowest	<5	0.11	7	13			
		Highest	8	0.23	12	21			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Oct	1-Oct 31-Oct 2023	No. Samples Collected	10	10	10	10	3-Nov-23	No Missing Data	14-Nov-23
		Lowest	<5	<0.05	4	6			
		Highest	6	0.2	12	17			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Nov	1-Nov 30-Nov 2023	No. Samples Collected	15	15	15	15	1-Dec-23	No Missing Data	15-Dec-23
		Lowest	<5	0.09	10	7			
		Highest	<5	0.32	62	27			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Dec	1-Dec 31-Dec 2023	No. Samples Collected	19	19	19	19	3-Jan-24	No Missing Data	12-Jan-24
		Lowest	<5	0.09	9	11			
		Highest	<5	0.45	34	27			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Jan	1-Jan 31-Jan 2024	No. Samples Collected	14	14	14	14	6-Feb-24	No Missing Data	15-Feb-24
		Lowest	<5	0.14	7	13			
		Highest	21	0.29	17	37			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Feb	1-Feb 29-Feb 2024	No. Samples Collected	12	12	12	12	5-Mar-24	No Missing Data	15-Mar-24
		Lowest	<5	0.13	<5	13			
		Highest	<5	0.24	13	29			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Mar	1-Mar 31-Mar 2024	No. Samples Collected	8	8	8	8	6-Apr-24	No Missing Data	16-Apr-24
		Lowest	<5	0.09	5	14			
		Highest	<5	0.22	15	34			
		Exceedance (yes/no)	No	No	No	No			
2023 - 2024 Apr	1-Apr 1-May 2024	No. Samples Collected							
		Lowest							
		Highest							
		Exceedance (yes/no)							

Ampol Refineries (NSW) has prepared this information in good faith exercising all due care and attention, but no representation or warranty, express or implied is made as to the relevance, accuracy, completeness or fitness for purpose of this information in respect of any particular user's circumstances. Provision of this information does not constitute an opinion or interpretation by Ampol of the information and users of this information should satisfy themselves concerning its application to, and where necessary seek expert advice in respect of, their situation. Under no circumstances will Ampol be liable for any loss or damage however caused, resulting from your use of or access to, or inability to use or access, this information.



Monthly summary monitoring data

Licence Details: Ampol Refineries (NSW) Pty Ltd, 2 Solander St, Kurnell, NSW, 2231, EPL # 837

		EPA Point	Point 27, Yena Gap Effluent, Normal Operating Conditions												
		Pollutant	Arsenic	Ethyl Benzene	Lead	Napthalene	Nickel	Phenanthrene	Benzene	Toluene	Polycyclic Aromatic Hydrocarbons	2,4-Dimethyl-phenol			
		Licence Limit (100%tile)	0.07	None	0.025	None	0.03	None	None	None	0.5	None			
		Licence Limit (90%tile)													
		Licence Limit (50%tile)									0.03				
		Unit of Measure	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l	mg/l			
		Monitoring Frequency Required by Licence	Monthly	Monthly	Monthly	Monthly	Monthly	Monthly	Monthly	Monthly	Monthly	Monthly			
Reporting Period	Month	Averaging Period	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Grab Sample	Date Last Data were Obtained	Reason for Missing Data	Publishing Date
2023 - 2024 May	2-May 31-May 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	2-Jun-23	No Missing Data	19-Jun-23
		Lowest	<0.001	<0.002	<0.001	<0.0002	<0.001	<0.0002	<0.001	<0.002	<0.0002	<0.0002			
		Highest	<0.001	<0.002	<0.001	<0.0002	<0.001	<0.0002	<0.001	<0.002	<0.0002	<0.0002			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Jun	1-Jun 30-Jun 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	3-Jul-23	No Missing Data	14-Jul-23
		Lowest	0.002	<0.002	<0.001	<0.0002	<0.001	<0.0002	0.150	0.011	<0.0002	<0.0002			
		Highest	0.002	<0.002	<0.001	<0.0002	<0.001	<0.0002	0.150	0.011	<0.0002	<0.0002			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Jul	1-Jul 31-Jul 2023	No. Samples Collected	0	0	0	0	0	0	0	0	0	0	10-Aug-23	No Missing Data	15-Aug-23
		Lowest													
		Highest													
		Exceedance (yes/no)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A			
2023 - 2024 Aug	1-Aug 31-Aug 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	11-Sep-23	No Missing Data	15-Sep-23
		Lowest	<0.001	<0.005	<0.001	<0.0002	<0.001	<0.0002	0.287	1.160	<0.0002	0.041			
		Highest	<0.001	<0.005	<0.001	<0.0002	<0.001	<0.0002	0.287	1.160	<0.0002	0.041			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Sep	1-Sep 30-Sep 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	9-Oct-23	No Missing Data	13-Oct-23
		Lowest	0.002	<0.002	<0.001	<0.0002	<0.001	<0.0002	0.002	<0.002	<0.0002	0.0056			
		Highest	0.002	<0.002	<0.001	<0.0002	<0.001	<0.0002	0.002	<0.002	<0.0002	0.0056			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Oct	1-Oct 31-Oct 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	3-Nov-23	No Missing Data	14-Nov-23
		Lowest	0.002	<0.002	<0.001	<0.0002	<0.001	<0.0002	<0.001	<0.002	<0.0002	0.0014			
		Highest	0.002	<0.002	<0.001	<0.0002	<0.001	<0.0002	<0.001	<0.002	<0.0002	0.0014			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Nov	1-Nov 30-Nov 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	1-Dec-23	No Missing Data	15-Dec-23
		Lowest	0.001	<0.002	<0.001	<0.0002	<0.001	<0.0002	<0.001	<0.002	<0.0002	<0.0002			
		Highest	0.001	<0.002	<0.001	<0.0002	<0.001	<0.0002	<0.001	<0.002	<0.0002	<0.0002			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Dec	1-Dec 31-Dec 2023	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	3-Jan-24	No Missing Data	12-Jan-24
		Lowest	0.002	<0.005	0.001	0.0017	0.001	<0.0002	0	<0.005	0.0017	0.0341			
		Highest	0.002	<0.005	0.001	0.0017	0.001	<0.0002	0	<0.005	0.0017	0.0341			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Jan	1-Jan 31-Jan 2024	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	6-Feb-24	No Missing Data	15-Feb-24
		Lowest	0.002	1.24	<0.001	0.0327	0.002	0.0013	0.292	0.098	0.0300	0.174			
		Highest	0.002	1.24	<0.001	0.0327	0.002	0.0013	0.292	0.098	0.0300	0.174			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Feb	1-Feb 29-Feb 2024	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	5-Mar-24	No Missing Data	15-Mar-24
		Lowest	0.002	<0.002	<0.001	<0.0002	<0.001	0.0004	0.005	<0.002	0.0004	0.0276			
		Highest	0.002	<0.002	<0.001	<0.0002	<0.001	0.0004	0.005	<0.002	0.0004	0.0276			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Mar	1-Mar 31-Mar 2024	No. Samples Collected	1	1	1	1	1	1	1	1	1	1	6-Apr-24	No Missing Data	16-Apr-24
		Lowest	0.002	<0.002	<0.001	<0.005	<0.001	<0.005	0.014	<0.002	<0.0024	0.0334			
		Highest	0.002	<0.002	<0.001	<0.005	<0.001	<0.005	0.014	<0.002	<0.0024	0.0334			
		Exceedance (yes/no)	No	No	No	No	No	No	No	No	No	No			
2023 - 2024 Apr	1-Apr 1-May 2024	No. Samples Collected													
		Lowest													
		Highest													
		Exceedance (yes/no)													

Ampol Refineries (NSW) has prepared this information in good faith exercising all due care and attention, but no representation or warranty, express or implied is made as to the relevance, accuracy, completeness or fitness for purpose of this information in respect of any particular user's circumstances. Provision of this information does not constitute an opinion or interpretation by Ampol of the information and users of this information should satisfy themselves concerning its application to, and where necessary seek expert advice in respect of, their situation. Under no circumstances will Ampol be liable for any loss or damage however caused, resulting from your use of or access to, or inability to use or access, this information.